




PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
1	1	1750-1	FAN-SHAPED ALUM BACKBOARD, UNPAINTED	ALUMINUM A356
2	8	1750-2	THREADED INSERT, 3/8-16	AISI 1020 CARBON STEEL
3	1	3-89-0004	1750/1750B SAFETY BOLT HDWR KIT	GRADE 5 STEEL



FRONT FACE OF BOARD



BACK OF BOARD



DETAIL A

PACKAGING NOTES:

1. BOX DIMENSIONS SIZE 37" X 54-1/2" X 1-7/8" OAH.
2. BOARD SHIPPED IN TWO PC. BOX (TOP & BOTTOM) WITH EDES, DOUBLE WALL CORRUGATE, BOX TO BE STAMPED 1750 TO BE VISIBLE ON LONG EDGES.
3. BOARD TO BE PLACED INSIDE ONE END OPENED PLASTIC BAG AND TAPED CLOSED PRIOR TO PLACING IN BOX.
4. VENDOR TO PROVIDE SAFETY BOLT KIT 3-89-0004 BAGGED AND SECURELY CLOSED THEN TAPED TO OUTSIDE OF PLASTIC BAG ON BOTTOM OF BACKBOARD SET IN BETWEEN RIBS.
5. BAGGED BACKBOARD TO HAVE CARDBOARD SPACER BLOCK WITH DIMENSIONS ~3" TO ~5" X 1-1/8" TALL IN BETWEEN RIBS AND IN EACH CORNER OF BOX.
6. A THIN 0.04" [1mm] LAYER OF PACKAGING FOAM TO BE WRAPPED AROUND FRONT AND BACK OF BAGGED BACKBOARD AND SET GENTLY INSIDE BOX.
7. NEST AND SECURE TOP AND BOTTOM OF BOX TOGETHER USING STAPLES ON CORNERS ONLY SO BACKBOARDS CANNOT BE SCRATCHED.
8. SKID SIZE TO MATCH BOX SIZE WITH NO OVERHANG TO PREVENT DAMAGE TO BOXING.
9. FOR SHIPMENT, BOXES TO BE BANDED IN QUANTITY TWO AND STACKED FACE TO FACE, THEN BAND ALL TWO SETS TOGETHER ON SKID, THEN PLASTIC WRAPPED TO BOUND TOGETHER.
10. APPLY AND PLACE VISIBLY FRAGILE STICKERS ON ALL FOUR SIDES.

BACKBOARD NOTES:

1. STEEL THREADED INSERTS SET AND HELD IN PLACE ON MOLD PINS PRIOR TO CASTING PROCESS.
2. MASK ALL THREADED HOLES PRIOR TO PAINTING PROCESS.
3. FINISHING PROCESS: POWDER COAT FLAT WHITE (SEE VENDOR DATA SHEET FOR DETAILS)

FINISHED WEIGHT 39.818 lbmass

	BRC	08/05/25	0246	RELEASED
REV	BY	DATE	ECN	REVISION DESCRIPTION

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
[XX.XX] DIMENSIONS ARE IN MM
TOLERANCES ARE:
.X ± 0.060 [1.50 mm]
.XX ± 0.030 [0.75 mm]
.XXX ± 0.010 [0.25 mm] **CRITICAL**
ANGLES
X. = 1°
X.X = 1/2°




THIRD ANGLE PROJECTION



Gared Performance Sports Systems
info@garedperfsports.com
800-325-2682

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

FAN-SHAPED ALUM B/B, NO BORDER				
DRAWN	BRC	DATE	6/25/2025	MATERIAL
APPROVED		DATE		FINISH
SIZE	B	SCALE	1 OF 8	DWG. NO.
		SHT. NO.		REV
		PART NO.	1750	



FRONT FACE OF BOARD

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
[XX.XX] DIMENSIONS ARE IN MM
TOLERANCES ARE:
.X ± 0.060 [1.50 mm]
.XX ± 0.030 [0.75 mm]
.XXX± 0.010 [0.25 mm] **CRITICAL**
ANGLES
X. = 1°
X.X = 1/2°



THIRD ANGLE PROJECTION



Gared Performance Sports Systems
info@garedperfsports.com
800-325-2682

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE
PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT.
ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED
PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

FAN-SHAPED ALUM B/B, NO BORDER

DRAWN	BRC	DATE	6/25/2025	MATERIAL	SEE PARTS LIST
APPROVED		DATE		FINISH	SEE NOTE
				DWG. NO.	



SIZE	SCALE	SHT. NO.	PART NO.	1750	REV
B		2 OF 8			



THIRD ANGLE PROJECTION



SIZE	SCALE	SHT. NO.	PART NO.	REV
B		3 OF 8	1750	



NOTE:
1. **ADDITIONAL "INSPECTION DIMENSION":** VERIFY 3/8"-16 FLAT HEAD SCREW SITS FLUSH TO FACE OF BOARD WHEN INSTALLED IN TWO PLACES.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
[XX.XX] DIMENSIONS ARE IN MM
TOLERANCES ARE:
.X ± 0.060 [1.50 mm]
.XX ± 0.030 [0.75 mm]
.XXX ± 0.010 [0.25 mm] **CRITICAL**
ANGLES
X. = 1°
X.X = 1/2°










PERFORMANCE
GARED SPORTS SYSTEMS

Gared Performance Sports Systems
info@garedperfsports.com
800-325-2682

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE
PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT.
ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED
PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

FAN-SHAPED ALUM B/B, NO BORDER

DRAWN BRC	DATE 6/25/2025	MATERIAL SEE PARTS LIST
APPROVED	DATE	FINISH SEE NOTE
SIZE B	SCALE	DWG. NO.
SHT. NO. 4 OF 8	PART NO. 1750	REV



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
[XX.XX] DIMENSIONS ARE IN MM
TOLERANCES ARE:
.X ± 0.060 [1.50 mm]
.XX ± 0.030 [0.75 mm]
.XXX ± 0.010 [0.25 mm] **CRITICAL**
ANGLES
X. = 1°
X.X = 1/2°









PERFORMANCE
GARED SPORTS SYSTEMS

Gared Performance Sports Systems
info@garedperfsports.com
800-325-2682


THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE
PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT.
ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED
PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

FAN-SHAPED ALUM B/B, NO BORDER


DRAWN	BRC	DATE	6/25/2025	MATERIAL	SEE PARTS LIST
APPROVED		DATE		FINISH	SEE NOTE
SIZE	SCALE	SHT. NO.	PART NO.	DWG. NO.	REV
B		5 OF 8	1750		



TYP. 8 PLACES



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
[XX.XX] DIMENSIONS ARE IN MM
TOLERANCES ARE:
.X ± 0.060 [1.50 mm]
.XX ± 0.030 [0.75 mm]
.XXX ± 0.010 [0.25 mm] **CRITICAL**
ANGLES
X. = 1°
X.X = 1/2°




PERFORMANCE
GARED SPORTS SYSTEMS

Gared Performance Sports Systems
info@garedperfsports.com
800-325-2682



THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE
PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT.
ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED
PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

FAN-SHAPED ALUM B/B, NO BORDER


DRAWN	BRC	DATE	6/25/2025	MATERIAL	SEE PARTS LIST
APPROVED		DATE		FINISH	SEE NOTE
SIZE	SCALE	SHT. NO.	PART NO.	DWG. NO.	REV
B		6 OF 8	1750		



SECTION A-A




FINISHED WEIGHT 0.066 lbmass

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [XX.XX] DIMENSIONS ARE IN MM TOLERANCES ARE: .X ± 0.060 [1.50 mm] .XX ± 0.030 [0.75 mm] .XXX ± 0.010 [0.25 mm] CRITICAL ANGLES X. = 1° X.X = 1/2°  THIRD ANGLE PROJECTION				GARED PERFORMANCE SPORTS SYSTEMS Gared Performance Sports Systems info@garedperfsports.com 800-325-2682		THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED. THREADED INSERT, 3/8-16 <table border="1"><tr><td colspan="2">DRAWN BRC</td><td colspan="2">DATE 6/25/2025</td><td colspan="2">MATERIAL SEE PARTS LIST</td></tr><tr><td colspan="2">APPROVED</td><td colspan="2">DATE</td><td colspan="2">FINISH SEE NOTE</td></tr><tr><td colspan="2">SIZE B</td><td colspan="2">SHT. NO. 7 OF 8</td><td colspan="2">PART NO. 1750-2</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">REV</td></tr></table>				DRAWN BRC		DATE 6/25/2025		MATERIAL SEE PARTS LIST		APPROVED		DATE		FINISH SEE NOTE		SIZE B		SHT. NO. 7 OF 8		PART NO. 1750-2						REV	
DRAWN BRC		DATE 6/25/2025		MATERIAL SEE PARTS LIST																													
APPROVED		DATE		FINISH SEE NOTE																													
SIZE B		SHT. NO. 7 OF 8		PART NO. 1750-2																													
				REV																													

- NOTE:
- HARDWARE MUST BE STEEL GRADE 5 (OR EQUIVALENT)
 - PACK IN SMALL HARDWARE BAG


PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	**505-6-16-24	CAP SCREW, FLAT HD 3/8-16 UNC X 1.5
2	2	561-6	FLAT WASHER 3/8
3	2	562-6	SPLIT LOCK WASHER 3/8
4	2	541-6-16	HEX NUT 3/8-16



FINISHED WEIGHT N/A

	SCW	11/19/24	0226	RELEASED
REV	BY	DATE	ECN	REVISION DESCRIPTION

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
[XX.XX] DIMENSIONS ARE IN MM
TOLERANCES ARE:
.X ± 0.060 [1.50 mm]
.XX ± 0.030 [0.75 mm]
.XXX± 0.010 [0.25 mm] **CRITICAL**
ANGLES
X. = 1°
X.X = 1/2°



THIRD ANGLE PROJECTION



Gared Performance Sports Systems
info@garedperfsports.com
800-325-2682

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE
PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT.
ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED
PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

1750/1750B SAFETY BOLT HDWR KIT

DRAWN	BRC	DATE	6/25/2025	MATERIAL	SEE PARTS LIST
APPROVED		DATE		FINISH	SEE NOTE
				DWG. NO.	

SIZE	SCALE	SHT. NO.	PART NO.	REV
B		8 OF 8	3-89-0004	