

DETAIL A

#### **PACKAGING NOTES:**

- 1. BOX DIMENSIONS SIZE 37" X 54-1/2" X 1-7/8" OAH.
- 2. BOARD SHIPPED IN TWO PC. BOX (TOP & BOTTOM) WITH EDES, DOUBLE WALL CORRUGATE, BOX TO BE STAMPED 1750B TO BE VISIBLE ON LONG EDGES.
- 3. BOARD TO BE PLACED INSIDE ONE END OPENED PLASTIC BAG AND TAPED CLOSED PRIOR TO PLACING IN BOX.
- 4. VENDOR TO PROVIDE SAFETY BOLT KIT 3-89-0004 BAGGED AND SECURELY CLOSED THEN TAPED TO OUTSIDE OF PLASTIC BAG ON BOTTOM OF BACKBOARD SET IN BETWEEN RIBS.
- 5. BAGGED BACKBOARD TO HAVE CARDBOARD SPACER BLOCK WITH DIMENSIONS ~3" TO ~5" X 1-1/8" TALL IN BETWEEN RIBS AND IN EACH CORNER OF BOX.
- 6. A THIN 0.04" [1mm] LAYER OF PACKAGING FOAM TO BE WRAPPED AROUND FRONT AND BACK OF BAGGED BACKBOARD AND SET GENTLY INSIDE BOX.
- 7. NEST AND SECURE TOP AND BOTTOM OF BOX TOGETHER USING STAPLES ON CORNERS ONLY SO BACKBOARDS CANNOT BE SCRATCHED.
- 8. SKID SIZE TO MATCH BOX SIZE WITH NO OVERHANG TO PREVENT DAMAGE TO BOXING.
- 9. FOR SHIPMENT, BOXES TO BE BANDED IN QUANTITY TWO AND STACKED FACE TO FACE, THEN BAND ALL TWO SETS TOGETHER ON SKID, THEN PLASTIC WRAPPED TO BOUND TOGETHER.
- 10. APPLY AND PLACE VISIBLY FRAGILE STICKERS ON ALL FOUR SIDES.

	BRC	08/05/25	0246	RELEASED
REV	BY	DATE	ECN	REVISION DESCRIPTION

#### **BACKBOARD NOTES:**

- 1. STEEL THREADED INSERTS SET AND HELD IN PLACE ON MOLD PINS PRIOR TO CASTING PROCESS.
- MASK ALL THREADED HOLES PRIOR TO PAINTING PROCESS.
- 3. FIRST FINISHING PROCESS: POWDER COAT FLAT WHITE (SEE VENDOR DATA SHEET FOR DETAILS)
- 4. SECOND FINISHING PROCESS: SCREEN PRINT ORANGE (SEE VENDOR DATA SHEET FOR DETAILS)

#### FINISHED WEIGHT N/A



LINI ESS OTHERWISE SPECIFIED

X.X = 1/2°

THIRD ANGLE PROJECTION



THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

FAN-SHAPED ALUM B/B, WITH TARGET & BORDER

DRAWN

DATE

DRAWN

DATE

6/25/2025

APPROVED

DATE


DATE


DWG. NO.


REV


1 0 F 8


1 750B





















## FINISHED WEIGHT 0.066 lbmass

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [XX.XX] DIMENSIONS ARE IN MM TOLERANCES ARE:

X ± 0.060 [1.50 mm] .XX ± 0.030 [0.75 mm] .XXX± 0.010 [0.25 mm] CRITICAL ANGLES X. = 1° X.X = 1/2°





Gared Performance Sports Systems info@garedperfsports.com 800-325-2682


THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

		THF	RE/	ADED IN	SEI	RT, 3/	8-16	
RAWN			DATE	≣		MATERIAL		
	BRC			6/25/2025			SEE PARTS LIST	
				************		FINISH		
PPROVED			DATE				SEE NOTE	
						DWG. NO.		
SIZE	SCALE	SHT. N	Ю.	PART NO.		l		REV
B 7 0F		8		17	750-2			

## NOTE:

- HARDWARE MUST BE STEEL GRADE 5 (OR EQUIVALENT)
- PACK IN SMALL HARDWARE BAG

PARTS LIST							
ITEM	QTY	PART NUMBER	DESCRIPTION				
1	2	**505-6-16-24	CAP SCREW, FLAT HD 3/8-16 UNC X 1.5				
2	2	561-6	FLAT WASHER 3/8				
3	2	562-6	SPLIT LOCK WASHER 3/8				
4	2	541-6-16	HEX NUT 3/8-16				



# FINISHED WEIGHT N/A

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [XX.XX] DIMENSIONS ARE IN MM TOLERANCES ARE:

X ± 0.060 [1.50 mm] .XX ± 0.030 [0.75 mm] .XXX± 0.010 [0.25 mm] CRITICAL ANGLES X. = 1° X.X = 1/2°





Gared Performance Sports Systems info@garedperfsports.com 800-325-2682

THIS DOCUMENT CONTAINS TRADE SECRET AND OTHER MATERIALS WHICH ARE PROTECTED BY CONFIDENTIALITY NOTICE AND AGREEMENT AND BY COPYRIGHT. ANY USE OR COPYING OF THIS DOCUMENT EXCEPT AS AUTHORIZED BY GARED PERFORMANCE SPORTS SYSTEMS IS STRICTLY PROHIBITED.

### 1750/1750B SAFETY BOLT HDWR KIT

DRAWN				DATE		MATERIAL	
BRC				6/25/2025		SEE PARTS LIST FINISH	
APPROVED				DATE		SEE NOTE	
						DWG. NO.	
SIZE	SCALE	SHT. N	0.	PART NO.			REV
B 8 0F 8			8		3-8	9-0004	

	SCW	11/19/24	0226	RELEASED
REV	BY	DATE	ECN	REVISION DESCRIPTION